

MXC357F



THE RENAISSANCE OF COLOUR

DESKTOP COLOUR DOCUMENT SYSTEMS



SHARP®

Be Original.

Sharp desktop colour document systems deliver leading-edge integration and powerful productivity, all in a small compact design.

A HIGHER BENCHMARK OF INNOVATION

performance

The **MXC357F DESKTOP COLOUR DOCUMENT SYSTEM** delivers crisp, **high-quality output** with **exceptional ease-of-use**. This model provides customers with an **intuitive user experience** and the confidence of knowing their jobs will **come out right the first time, every time**. Designed with **robust technology and software** typically found on larger machines, the **compact MXC357F** delivers the **productivity** you need with the **performance and reliability** you want in your workplace or home office.

Key Features

- **EASE-OF-USE** – Intuitive 4.3" (diagonal) touchscreen display offers a user-friendly graphical interface with simplified **Easy Modes**, integrated user guides and quick access to network services.
- **PRODUCTIVITY** – Out-of-the-box copy, print, scan and fax capabilities standard plus **Cloud Connect** features and **optional wireless connectivity** enables users to easily manage their workflow from PCs, smartphones and tablets.
- **WORKPLACE FRIENDLY** – Integrates seamlessly with today's complex network environments and **supports popular cloud services and mobile technologies**. Sharp utilizes system updates to provide feature enhancements and to ensure your machine **remains compatible with current technology**.

The compact **MXC357F DESKTOP COLOUR DOCUMENT SYSTEM** offers powerful productivity features enabling users to quickly execute workflow tasks, whether in the office, or working from home.

That's the **SHARP DIFFERENCE**.



DESIGNED TO DELIVER HIGH PRODUCTIVITY



A Reliable Document System that meets tomorrow's business needs today.

- Standard **copy, print, scan** and **fax** capability right out-of-the-box.
- **Compact design** easily fits into small offices or home workspaces in desktop or console configuration.
- **50-sheet** reversing single pass feeder **scans at speeds up-to 50 images per minute**.
- Supports **letter size, legal size** and **envelopes** through the standard paper drawer or bypass tray.
- Offers up-to **five paper sources** with available 1,451-sheet maximum paper capacity.
- **1,200 x 1,200 dpi** printing delivers clear, crisp images and text page-after-page.
- **4.3" (diagonal) colour touchscreen** with adjustable viewing angle offers smooth, tablet-style interaction.

INTUITIVE INTERFACE

VERSATILE DESIGN

OUT-OF-THE-BOX PRODUCTIVITY



- Optional **compact PDF** feature dramatically reduces the file size of most colour scanned documents.
- Convenient front-facing **USB port** for **easy direct printing** of PDF files from a USB drive without having to access a PC.
- Print **Microsoft® Word, Excel®, or PowerPoint®** files directly from a mobile device, USB drive, or file server.
- Optional **Optical Character Recognition (OCR)** allows users to convert a scanned document into a searchable PDF file or into an editable Word file.
- **Supports popular mobile technologies**, enabling users to easily print files from smartphones, tablets and even notebook computers.
- Protect your intellectual property. **A wide range of security features** help to keep your information safe, whether it's in a document, on the device, or over your network.
- **Sharp Remote Device Manager (SRDM)** allows administrators to have centralized control of the networked MFP in order to simplify installation and management.

MXC357F SPECIFICATIONS

Main Specifications

MXC357F	Base model includes: 50-sheet RSPF, PCL® 6 and PostScript® 3™ printing systems, network scanning, auto duplexing, 1 x 250-sheet paper drawer, 1-sheet bypass tray. Imaging kits and starter tone included.
Type	Desktop colour multifunction printer
Display	4.3" (diagonal) colour dot matrix high-resolution touchscreen
Functions	Copy, print, network print, network scan and fax
Originals	Sheets and bound documents
Max. Original Size	8.5" x 14"
Output Size	Min. 5.5" x 8.5", Max. 8.5" x 14"
Copy Speed	35 ppm (8.5" x 11")
First Copy Time (in seconds)²	<i>Platen Glass:</i> Mono 8.5, Colour 10 <i>Doc Feeder:</i> Mono 9, Colour 9.5
Magnification	25% to 400% in 1% increments
Original Feed	50-sheet RSPF
Scan Speed	Up-to 50 ipm (Mono) / 32 ipm (Colour)
Original Sizes	5.5" x 8.5", 8.5" x 11", 8.5" x 14", 2" x 3.5" business card
Paper Capacity	Standard: 251 sheets/Maximum: 1,451 sheets
Paper Feed System²	Standard: (1) 250-sheet paper drawers (letter/legal/statement size/envelopes/labels). System and 1-sheet bypass tray (letter/legal/statement/envelope size). Optional: (1) 650-sheet duo drawer (550-sheet + 100-sheet bypass), (1) 550-sheet paper drawer (letter/legal/statement size/labels).
Paper Weights and Types	Standard and optional paper drawers: Plain paper 16-24 lb. bond, Heavy paper 28 lb. bond - 80 lb. cover. Other paper types include plain, recycled, pre-punched, letterhead, pre-printed, colour, gloss, cardstock, 16-28 lb. envelopes (only duo drawer) and 58 lb. bond labels. Bypass tray: 16-20 lb. bond (thin paper), 20-24 lb. bond (plain paper), 24lb. bond-65 lb. cover (heavy paper), 20-24 lb. bond, cardstock and envelopes.
Duplexing	Standard automatic duplex copying and printing
CPU	1 GHz multi-processor design
Interface¹	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0: 2 host, high speed ports, (front), wireless LAN optional (IEEE 802.11 a/ac/b/g/n)
Memory	Standard: 2 GB/Maximum: 6 GB
Hard Disk Drive	Optional 500 GB
Copy Resolution	Up-to 600 x 600 dpi
Copy Features	Scan-once print many, electronic sorting, Auto Paper Selection (APS), Auto Magnification Selection (AMS), darkness, save as shortcut, auto centre, background removal, contrast, mirror image, negative image, scan edge-to-edge, shadow detail, sharpness, colour dropout, job build (with HDD), cover page setup, edge erase, header/footer, margin shift, overlay, separator sheets.
Account Control	Supports user authentication via user-number
Output Tray Capacity	Centre Exit Tray (Main): 300 sheets plain paper/ 50 envelopes
Cloud Supported Services³	Google Drive, OneDrive for Business, SharePoint Online, Dropbox and Box.
Network Protocols	TCP/IP (IPv4, IPv6), TCP X, UDP X, IPSEC w/ IPv4 X, IPSEC w/ IPv6 X, ICMP X, IGMP X, 802.1x

Main Specifications (continued)

Network and Data Security	Includes IP address filtering, protocol filtering, port control, TLS Encryption, Kerberos, AES 256 bit data encryption, optional data overwrite (up-to 3 times)
Firmware Management	Flash ROM with local (USB), network update capability and firmware update 1 to N
Device Setup	Web-based management/cloning with user/administrator level login
Service/Functions	Remote Front Panel, remote access to service logs and click counts
Accessibility Features	Free stop tilting front panel, adjustment of key touch sound and speed, document feeder free stop, job programs, and disable screen timeout
Environmental Standards	International ENERGY STAR Program Ver. 3.0, European RoHS, Blue Angel (RAL-UZ205)
Power	110-127 V AC, 60 HZ, 15 A receptacle
Power Consumption	1.44 KWh
Weight	60 lbs.
Dimensions	17.4" (w) x 23.1" (d) x 18.2" (h)
Network Printing System	
PDL	Standard PCL 6 and PostScript 3 compatible
Resolution	1,200 x 1,200 dpi
Print Speed	35 ppm (8.5" x 11")
Print Drivers	Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows PPD, MAC OSX® (including 10.10 to 10.15), all MAC PPD, UNIX®, Linux® PPD
Mobile Printing	AirPrint, Android printing framework
Print Features	Auto configuration, bar code font printing, confidential print, custom image registration, different cover page/last page/other page, document filing, duplex printing, electronic sorting, form overlay, image rotation, image type, job retention, layout print, N-up printing, pamphlet style, proof print, stapling, toner save mode, tray status, user authentication, watermarks, zoom print.
Direct Printing	File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PCX, PDF, PNG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTP, SMB, Web page and USB memory
Resident Fonts	89 fonts (PCL), 158 fonts (PS)
Operating Systems and Environments	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2010, Windows Server 2012, Citrix®, Linux, UNIX
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix
Network Scanning System	
Scan Modes	Standard: colour, monochrome and greyscale
Max. Original Size	8.5" x 14"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 75 dpi
Image	Colour Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Compression	Colour/Greyscale: JPEG (high, middle, low)

Network Scanning System (continued)

Image Formats	JPEG, PDF, PDF/A-1a/1b, compact PDF, searchable PDF, encrypted PDF, TIFF, XPS
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Super G3 fax
Scanning Protocols	HTTP/HTTPS, FTP/FTPS, SMTP/SMTP/SSL/ESMTP, POP3, LDAP, S/MIME
Software	Optional third party applications
Super G3 Facsimile Function	
Communication Line	Public Switched Telephone Network (PSTN) or Analog PABX (RJ-11)
Transmission Mode	Super G3, G3
Modem Speed	Maximum 33.6 KBPS with auto fallback
Compression	JBIG, MMR, MR, MH
Scanning Method	Sheet fed or manual feed from platen glass
Transmit	600 x 600 dpi (ultra-fine), 300 x 300 dpi (super-fine),
Resolution	200 x 200 dpi (fine), 200 x 100 (standard)
Transmit Speed	Approx. 3 seconds per page in Super G3 mode
Auto Dialing	Up-to 500 destinations (combined)
Group Dialing	Up-to 500 groups
Inbound Fax Routing	To email address, FTP or SMB using Transmit Terminal Identification (TTI), also Document Administration function can send blind copy of transmissions and receptions to an administrator email address, FTP or SMB location.
Max. Original Length	Up-to 14"
Memory¹	18 MB (with optional HDD)
Features	Transaction Reports, Activity Reports, PC Fax, Quick On-line Transmission, Inbound Fax Routing, Anti-junk Fax Reception, Fax Release, Out-of-Paper Memory Reception, Auto Redial, Auto Exposure, Chain Dialing, Duplex Reception, Fax Forwarding, Colour Page, Colour Fax and Scan Preview (with HDD).
Optional Equipment	
MXCS18	550-sheet Paper Feed Unit
MXCS20	650-sheet duo Paper Feed Unit
Supplies	
MXC35TB	Black Toner Cartridge
MXC35TC	Cyan Toner Cartridge
MXC35TM	Magenta Toner Cartridge
MXC35TY	Yellow Toner Cartridge
MXC35DUB	Black Imaging Kit
MXC35DUS	Black and Colour Imaging Kit

¹ Some features require optional equipment. See your local dealer.

² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ May not yet be available for all models. Please contact a Sharp representative for further details.



Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint are trademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive and Chromebook are trademarks or registered trademarks of Google LLC. Adobe, the Adobe logo, PostScript, and PostScript 3 are either registered trademarks or trademarks of Adobe in the United States and/or other countries. All other trademarks are the property of their respective owners. ©2021 Sharp Electronics of Canada Ltd.

335 Britannia Road East
Mississauga, ON L4Z 1W9
www.sharp.ca

SHARP®
Be Original.