

## imageCLASS X LBP1800 Series

Print up to 75 ppm (BW)

Print up to 8-1/2" x 14"

4,300-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for workgroups within an office environment used as part of an organization's print fleet, the Canon imageCLASS X LBP1800 Series offers speedy performance, minimal maintenance, and the ability to expand paper capacity for busy groups seeking a high-volume, low-cost printing device.

High-Speed  
Black-and-White  
Printer



### WORKFLOW EFFICIENCY

- 5-Line LCD panel with keypad to seamlessly navigate and customize settings to access features used most.
- Supports certain compatible mobile printing solutions.
- Designed for large print jobs with first print-out time as fast as 4.9 seconds.
- Fastest desktop printer in the lineup with speeds up to 75 ppm.
- Offers high paper capacity to get large print jobs completed quickly while maintaining a compact footprint.



### SECURITY FEATURES

- Helps reduce the risk of confidential information loss, since documents are only stored in short-term memory.
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.
- Supports Verify System at Startup, a process to help verify the validity of the device, firmware, and applications from unauthorized modifications.
- Supports McAfee Embedded Control\* which utilizes a whitelist to help protect against malware and tampering of firmware and applications.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.<sup>2</sup>



### COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize the need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard, two-sided printing plus the ability to print multiple pages onto one sheet help to reduce paper consumption.

\* This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.



## DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.
- Remote Operator's Kit Accessible.



## QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.



## SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourages environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.<sup>3</sup>

### KEY FEATURES





Flexible Authentication



Secure Printing



Print from Cloud




Mobile Printing



Cost Tracking


## MANAGE OUTPUT WITH uniFLOW Online

The optional uniFLOW Online offers a cloud-based printing and accounting solution that's easy to configure and has the latest security features. The solution extends the standard functionality provided by uniFLOW Online Express by adding My Print, mobile printing, and more to support users whether they're in the office or at home.



## FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



**Prevent Execution of Malware**  
Uses whitelisting to help prevent execution of unrecognized malware.

**McAfee Embedded Control**

**Protection from Tampering**  
Uses whitelisting to help prevent tampering of existing firmware and applications.

## DEVICE PROTECTION

Runtime Intrusion with McAfee Embedded Control utilizes whitelisting to help protect the device against malware and tampering of the firmware and applications while the machine is running.

## Main Unit

### Core Functions

Standard: Print

### Processor

1.6 GHz Dual Core Processor

### Control Panel

5 Line LCD

### Memory

2.0 GB RAM

### Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed,  
10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n

### Paper Capacity (Letter, 20 lb. Bond)

Standard: 650 Sheets  
Maximum: 4,300 Sheets

### Paper Sources (Letter, 20 lb. Bond)

Standard: 650 sheets  
Maximum: 4,300 sheets (with Cassette 550x4 +  
2K Deck + Multi-Purpose Tray 100)

### Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 500 Sheets

### Supported Media Types

Cassette: Thin, Plain, Recycled, Color, Heavy,  
Pre-Punched, Bond, Letterhead, Labels,  
Pharmacy Envelope  
Stack Bypass: Thin, Plain, Recycled, Color, Heavy,  
Bond, Pre-Punched, Envelope, Postcard,  
Letterhead, Pharmacy Envelope

### Supported Media Sizes

Cassette: Letter, Statement, Executive,  
Envelope: COM10, Monarch, C5, DL,  
Custom (Min. 3.9" x 5.8" to Max. 8.5" x 14")  
Stack Bypass: Letter, Legal, Statement, Executive  
Envelope: COM10, Monarch, C5, DL  
Custom (Min. 3" x 5" to Max. 8.5" x 14")

### Supported Media Weights

Cassettes: 16 lb. Bond to 35 lb. Bond (60 to 135 g/m<sup>2</sup>)  
Stack Bypass: 16 lb. Bond to 53 lb. Bond (60 to 199 g/m<sup>2</sup>)

### Warm-Up Time

From Power On: 2 Seconds or Less  
From Sleep Mode: 2 Seconds or Less

### Dimensions (W x D)

Standard 16.9" x 18.3"  
(Desktop): (430 mm x 465 mm)

### Installation Space (W x D)

Standard 24.8" x 35.2" (630 mm x 894 mm)  
(Desktop):  
Fully Configured: 33.7" x 42.2" (857 mm x 1072 mm) with  
optional 2K Hi-capacity cassette pedestal

### Weight<sup>4</sup>

Main Unit: Approx. 48.5 lb. (22 kg)

### Supported OS

Windows® 8.1/Windows 10/Windows 11/Windows Server  
2012/Windows Server 2012 R2/Windows Server 2016/  
Windows Server 2019/Windows Server 2022

## Print Specifications

### Printing Method

Laser Beam Printing

### Print Speed (BW)<sup>5</sup>

imageCLASS X LBP1871: 75 ppm (Letter)  
imageCLASS X LBP1861: 65 ppm (Letter)

### First-Print-Out Time

Approx. 4.9 Seconds

### Recommended Monthly Page Volume

imageCLASS X LBP1871: 5K-30K  
imageCLASS X LBP1861: 5K-20K

### Print Resolution

Up to 1200 x 1200 dpi

### Standard Page Description Languages

UFR II, PCL6, Adobe PostScript® 3™

### Printing from Mobile and Cloud-based Services<sup>1</sup>

Apple® AirPrint®, Mopria™ Print Service, Canon PRINT  
Business, uniFLOW Online, Microsoft Universal Print

### Fonts

PCL: 93 Fonts  
PS: 136 Fonts

### Print Features

Secure Print, Secure Watermark, Header/Footer, Page  
Layout, Two-sided Printing, Mixed Paper Sizes/Orientations,  
Toner Reduction, Poster Printing, Forced Hold Printing, Print  
Date, Scheduled Printing, Printing Using a Virtual Printer

## Security Specifications

### Authentication and Access Control

User Authentication (Card Login, Username and Password  
Login), Department ID Authentication (Department ID and  
PIN Login), uniFLOW Online Express/uniFLOW Online (PIN  
Login, Card Login)

### Document

Print Security (Secure Print, Encrypted SecurePrint,  
Forced Hold Printing, uniFLOW Secure Print<sup>6</sup>)

### Network

TLS1.3, IPsec, IEEE802.1X authentication, SNMPv3,  
Firewall Functionality (IP/MAC Address Filtering), Dual  
Network Support (Wired LAN/Wireless LAN, Wired LAN/  
Wired LAN), Enabling/Disabling (Network Applications,  
Remote UI, USB Interface), USB Port separation from LAN

### Device

Standard Storage Initialize, Job Log Conceal Function,  
Verify System at Startup, Runtime Intrusion Detection  
with McAfee Embedded Control

### Device Management and Auditing

Administrator Password, Digital Certificate and Key  
Management, Audit Log, Cooperating with External  
Security Audit System (Security Information and Event  
Management), Security Policy Setting

## Environmental Specifications

### Operating Environment

Temperature: 50 to 86° F  
Humidity: 20 to 80% RH (Relative Humidity)

### Power Requirements

110-127V, 60Hz, 8.5A

### Power Consumption

Maximum: Approx. 1500 W  
Standby: Approx. 12.4 W  
Sleep Mode: Approx. 1.0 W  
Typical  
Electricity  
Consumption  
(TEC) Rating:<sup>8</sup> LBP 1871: 0.77 kWh  
LBP 1861: 0.65 kWh

### Standards

ENERGY STAR® Qualified, Currently Rated EPEAT Silver<sup>3</sup>



**PAPER FEEDER PF-J1 WITH ENVELOPE FEEDER EF-B1**

- 550-Sheet Capacity
- 16 lb. Bond to 35 lb. Bond
- Supports Letter

**PAPER DECK UNIT PD-H1**

- 2,000-Sheet Capacity
- 16 lb. Bond to 35 lb. Bond
- Supports Letter

**Accessories**

**Card Readers<sup>9</sup>**  
**MiCard Readers<sup>10</sup>**  
 Proximity card reader designed to be used with uniFLOW for card authentication.

**Print Accessories**  
**Barcode Print Kit-DIE**  
 Installs bar code fonts for bar code printing.

**PCL International Font Set-A1**  
 Enables users to add fonts to a PCL printer in multiple languages.

**Extended Service Packs**  
**Canon eCarePAK**  
 Canon Extended Service Plans offer coverage beyond the standard one-year limited warranty<sup>11</sup> up to four years.

**GENUINE CONSUMABLES**

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.

Toner T03 Black	Yields up to 51,500 Pages
Toner T03L Black (included with the main unit)	Yields up to 11,000 Pages

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues. Black Toner (yielding 11,000 pages) is included in the box.

<sup>1</sup> Canon PRINT Business is a free app available on the App Store® and Google Play™ Store. For more information, including compatibility, please visit [csa.canon.com](http://csa.canon.com) - Search: Canon PRINT Business. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.  
<sup>2</sup> Please reference user manuals for details on settings available to export.  
<sup>3</sup> For latest EPEAT ratings (Gold/Silver/Bronze), please visit [www.epeat.net](http://www.epeat.net).  
<sup>4</sup> Includes consumables.  
<sup>5</sup> Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.  
<sup>6</sup> Requires optional uniFLOW Online/uniFLOW.  
<sup>7</sup> Subscription to a third-party cloud service required. Subject to third-party cloud service provider's Terms and Conditions.  
<sup>8</sup> Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.  
<sup>9</sup> Attachment kit required.  
<sup>10</sup> Ask Canon Solutions America Sales Representative for reader compatibility information.  
<sup>11</sup> Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.

For more information, call 1.800.815.4000 or visit [csa.canon.com](http://csa.canon.com)



As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.  
 ©2023 Canon Solutions America, Inc. All rights reserved.

