



[DOWNLOAD SPECS](#)

## LX-D5500 Dye-Based Inkjet Label Printer

### PRINTER SPECIFICATIONS

<b>Print Method</b>	Dye-based Inkjet
<b>Ink Cartridges</b>	4 (1 x Black, 1 x Cyan, 1 x Magenta, 1 x Yellow)
<b>Print Resolution</b>	1200 dpi
<b>Max Print Speed</b>	<ul style="list-style-type: none"><li>• First Print Out Time: 4" x 3" Label: 10 seconds or less</li><li>• Default Print Speed: 200 mm/second (7.9 inches/second)</li><li>• Range: 50 - 200 mm/s</li><li>• Preset Options: 200 mm/s, 160 mm/s, 120 mm/s, 100 mm/s, 90 mm/s, 80 mm/s, 70 mm/s, 60 mm/s, 50 mm/s</li></ul>
<b>Supported Media Types</b>	<ul style="list-style-type: none"><li>• Label Roll Media (with Roll Holder) &amp; Label</li><li>• Fanfold Media (IJ Coated: Matte or Glossy)</li></ul>
<b>Media Capacity</b>	<ul style="list-style-type: none"><li>• Roll Media: Outer Diameter: Up to 200 mm</li></ul>

- Core/Inner Diameter: Up to 76.2 mm
  - Fanfold Media: Media Height: Up to 850 mm
- 

**Media Size & Thickness**

- Media Size: Width: 25.4 - 120.0 mm (Including Liner), Length: 6.0 - 400.0 mm
  - Media Thickness: 0.145 - 0.255 mm
- 

**Maximum Printable Area**

- Width: Up to 105.9 mm (with AIS "On")
  - Length: 3.0 - 397 mm
- 

**Minimum Margin**

- Top/Bottom: 1.5 mm
  - Left/Right: 2.7 mm (with AIS "On")
- 

**Product Life**

- Approx. 6 Million Sheets / 5 Years
- 

**Output per Cartridge Set**

- Approx. 45,000 Sheets
- 

**Cartridge Fill Volume**

- Black / Cyan / Magenta / Yellow: 240 ml
- 

**Maintenance Cartridge Info & Fill Volume**

- WT-X401 Maintenance Cartridge: Approx. 210,000 Sheets
- 

**Operational Method**

- LCD: No
  - Buttons/LEDs: 4 Buttons / 8 LEDs
- 

**Connectivity**

- USB 2.0, Ethernet (10/100/1000 Base-T), RS-232C (For External Devices)
- 

**OS Compatibility**

- Windows 10 (64/32 bit), 8.1 (64/32 bit), 7 SP1 (64/32 bit), Windows Server 2012 (64-bit), Windows Server 2008 (64-bit)
- 

**Operating Environment**

- Temperature: 41° - 95°F (5° - 35°C)
  - Humidity: 10 - 90% RH (Non-Condensing)
-

**Options**

- CU-L02 Auto Cutter Unit Module
  - RH-L03 Roll Holder Module
  - Rewinder
- 

**Power Consumption**

- Maximum: Approx. 233 W
  - Operating: Approx. 21 W
  - Sleep Mode: Approx. 8 W or Less
- 

**Noise**

- Operating Noise (Max): 55dB or less
  - Standby Noise: 35dB or less
- 

**Dimensions & Weight**

- 15.2" (W) x 22.2" (D) x 15.5" (H)
  - 55.1 lbs.
-